This is a pre-print of an article published in <u>Environmental processes</u> (Ed. Springer). The final authenticated version is available online at:

DOI 10.1007/s40710-016-0161-3

© 2016. This manuscript version is made available under the "All rights reserved" license

- Glutamic Acid Independent Production of Bioflocculants by Bacillus subtilis UPMB13
 Zufarzaana Zulkeflee^{1, 5}, Zulkifli H. Shamsuddin², Ahmad Zaharin Aris³, Mohd KamilYusoff⁴, Dimitrios
- 3 Komilis⁵*, and Antoni Sánchez⁵

4

- 5 Department of Environmental Sciences, Faculty of Environmental Studies, Universiti Putra Malaysia,
- 6 43400, UPM Serdang, Selangor, Malaysia
- 7 Department of Land Management, Faculty of Agriculture, Universiti Putra Malaysia, 43400, UPM
- 8 Serdang, Selangor, Malaysia
- 9 ³Environmental Forensics Research Centre, Faculty of Environmental Studies, Universiti Putra Malaysia,
- 10 43400 UPM Serdang, Selangor, Malaysia.
- ⁴UPM Consultancy and Services Sdn. Bhd., Universiti Putra Malaysia, 43400, UPM Serdang, Selangor,
- 12 Malaysia
- 13 ⁵Composting Research Group, Department of Chemical Engineering, Escola d'Enginyeria, Universitat
- 14 Autònoma de Barcelona, 08913-Bellaterra (Cerdanyola del Vallès), Barcelona, Spain

15

- 16 **Dimitrios Komilis, Ph.D** (*Corresponding author)
- 17 Tel.: +34- 935811019 Fax: +34- 935812013
- 18 Email: dimitrios.komilis@uab.cat

19

- Acknowledgements This research has been funded by the Spanish Ministerio de Economia y
- 21 Competitividad (project CTM2015-69513-R). Dimitrios Komilis thanks Techniospring for the financial
- support.

Abstract Bacillus subtilis UPMB13 was found to be an L-glutamic acid independent producer of extracellular polymeric substances (EPS) with bioflocculation properties. Optimum production of the bioflocculant was found to be at the early stage of cell propagation of 24-72 h of fermentation. At a limited nutrient input of 100 mL tryptic soy broth, the flocculating activities were found to be negatively correlated (p<0.01) with growth as it continued to decline after 72 h, while cell growth proliferated further. Ample nutrient supply may prolong bioflocculant production with flocculating activities of 90% and higher, while excess oxygen supply may promote rapid growth that can lead to poor flocculation due to the re-use of the bioflocculant as a substitute for food during starvation. Bioflocculant production occurred at best at 25-30°C incubation temperature and at the initial pH medium of 7 to 8. The bioflocculant was proven to be extracellularly produced as the broth and the supernatant possessed the ability to flocculate the suspended kaolin particles. Bioflocculant productions by UPMB13 were hereditarily stable among succeeding progenies hence, proving genetic competency. About 0.90 g of purified bioflocculant were collected from 1 L culture broth of UPMB13 under the optimized fermentation conditions.

Keywords: Extracellular polymeric substance (EPS); biopolymer; γ-PGA; de-novo; kaolin assay

1 Introduction

Flocculation is a process of agglomerating suspended particles aided by compounds known as flocculants commonly used in water treatment applications (Devesa-Rey et al. 2012). Among these flocculants, bioflocculants have been identified as the emerging alternative to the conventional chemical flocculants due to their biodegradability and environmentally benign characteristics (Muthulakshmi et al. 2013). Bioflocculants are essentially extracellular polymeric substances (EPS) synthesize mostly by bacteria as they are ubiquitous in nature.

Production of biopolymeric compounds by bacterial strains could be unpredictable even under rigorously maintained culture conditions (Bajaj and Singhal 2011a). Stressful culture conditions may induce and improve extracellular polymeric substances production by microorganisms (Yu et al. 2015). However, definition of stressful culture conditions are species dependent and may vary for different microorganisms. Salehizadeh and Yan (2014), reviewed on the production of biopolymeric flocculants by microorganisms and stressed that the major criteria influencing bioflocculant performances are culture conditions, including but not limited to culture time, initial pH and temperature, aeration rate, shaking speed and ionic dependency. Optimization of these factors was proven to enhance the yield, quality and the performances of the bioflocculants produced.

One of the most widely studied EPS produced by *B. subtilis* strains is the poly- γ -glutamic acid (γ -PGA) (Bajaj and Singhal 2011a). γ -PGA productions typically rely on the input of L-glutamic acid supplement in the culture media. Some exceptional cases reported on γ -PGA production in the absence of any glutamic acid additions (Zhang et al. 2012). Notably, not all γ -PGA produced were reported as potential bioflocculants.

This paper discusses the production of a novel bioflocculant by a locally isolated rhizobacterium; *B. subtilis* UPMB13. It aims to i) optimize factors which affect the growth and bioflocculant production by the strain, ii) determine the distribution of the bioflocculant produced in different culture components, and iii) determine genetic competency of UPMB13 in bioflocculant production. All factors will provide thorough consideration for determining the optimum culture conditions for continuous production of high performing bioflocculants by *B. subtilis* UPMB13 for future studies in suspended solids treatment applications.

2 Materials and Methods

2.1 Bioflocculant-producing bacteria

B. subtilis UPMB13, isolated from oil-palm root, obtained from the culture collection of the Soil
Microbiology Laboratory, Department of Land Management, Universiti Putra Malaysia (Amir et al. 2003
Zulkeflee et al. 2012) was selected based on the morphological characteristics of mucoid and ropy
colonies produced when grown on tryptic soy agar (TSA). These characteristics were used as basic
identification for potential bioflocculant-producing bacteria (Wong et al. 2012). The strain was verified
using Basic Local Alignment Search Tool (BLAST) program analysis based on the 16S ribosomal
ribonucleic acid (rRNA) gene sequencing and through biochemical identification test (BBL Crystal
Gram-Positive ID System) which proved the strain as B. subtilis at 99% similarity.

Batch cultures of *B. subtilis* UPMB13 in tryptic soy broth (TSB) were prepared to produce the bioflocculants in broth form. About 50 mL seed culture of UPMB13 in TSB were prepared and incubated for 24 h on an orbital shaker (150 rpm) at room temperature. Centrifuged cells (4000 rpm for 10 min) from the seed culture were then washed three times with phosphate buffer solution (PBS) and once with sterile TSB before inoculation into a fresh 100 mL TSB and incubated again. Viscous TSB bearing the strain attained indicates bacterial growth and bioflocculant production in the culture. The culture broths were then used directly as the bioflocculant source in the flocculation assays (Aljuboori et al. 2013).

2.2 Flocculation assay

Flocculation assays using kaolin clay as the suspended particle were conducted according to the methods described elsewhere (Zulkeflee et al. 2012). The flocculation activities were expressed in percentage clarity of the upper phase of the kaolin suspensions after treatment by the bioflocculant and by visual assessment; either present or absent, of the kaolin flocs formed stimulated by the presence of the bioflocculant.

2.3 Production factors

2.3.1 L-glutamic acid dependency

96 Requirement for additional L-glutamic acid supplement for bioflocculant production by UPMB13 were 97 determine by preparing batch cultures of 100 mL TSB with treatments of; L-glutamic acid (LGA) at 20 98 g/L (Bajaj and Singhal 2011b), L-glutamic acid and citric acid (CA) at 10 g/L (Chen et al. 2005), and 99 solely TSB as the control treatment. All cultures with respective treatments were incubated on an orbital 100 shaker at 130 rpm for 48 h at 25°C. 101 2.3.2 Timeline of bioflocculant production 102 Optical density measurements with a spectrophotometer at 660 nm were conducted to determine the 103 growth of UPMB13 for 5 days. Percentage flocculating activities of the bioflocculants produced by 104 UPMB13 were measured every 6 h until 78 h, followed by 12 hourly intervals until 120 h of incubation. 105 2.3.3 Effect of culture medium ratio on bioflocculant production 106 Batch cultures of UPMB13 in varying volume of TSB (100 mL, 250 mL and 500 mL) were prepared by 107 inoculating 1 mL of the seed culture into each respective volume of TSB. Percentage flocculating activity 108 measurements were done at 12 hourly intervals for 120 h. 109 2.3.4 Effect of incubation speed on bioflocculant production 110 Oxygen fluxes were introduced by means of varying incubation speed on an orbital shaker. Five speeds 111 were selected: 100, 150, 200, 250 and 300 rpm. Percentage flocculating activities were measured every 24 112 h for three days to observe the effect on bioflocculant production. 113 2.3.5 Effect of initial pH and incubation temperature on bioflocculant production 114 The initial pH of the culture media, adjusted with either HCl (1 N) or NaOH (1 N), were prepared for pH 115 5.0, 6.0, 7.0 and 8.0 (Su et al. 2012). Observations of the flocculating performances were done directly 116 after 24 h to avoid further pH changes. Two ranges of incubation temperature were selected, namely; 25-117 30°C (Patil et al. 2009) and 37-40°C (Bajaj and Singhal 2011b) provided by an incubator shaker. 118 Percentage flocculating activities were measured at 24, 48, 72 and 96 h of incubation.

2.4 Determination of bioflocculant source among culture components

The source of bioflocculant produced among the culture components; broth, cell and supernatant, was determined. The cultured cells and cell-free supernatant were separated from the cultured broth by centrifugation at 4000 rpm for 10 min. The supernatant was then removed and put aside as the bioflocculant source for the cell-free supernatant. The centrifuged cells were washed with phosphate buffer solution (0.85%) to create a cell suspension and again centrifuged before serving as the bioflocculant source for the cells.

2.5 Genetic competence of B. subtilis UPMB13

UPMB13 genetic competence for continuous bioflocculant production was investigated. Each representative generation was prepared by sub-culturing TSA plate cultures of UPMB13; with the first generation being the one directly sub-cultured from the parent stock agar, until the 10th generation. Batch cultures of 100 mL TSB of each generation were then prepared and the percentage flocculating activities were measured.

2.6 Extraction and purification of the bioflocculant

The culture broth of UPMB13 was first tested for flocculating activity through the kaolin assay. When the flocculating activity of the culture broth achieved 90% and above, the culture broth was then centrifuged at 8000 x g for 10 min at 4°C to separate the cells. The remaining supernatant was then added to 2 volumes of ice cold ethanol and left overnight at 4°C to precipitate the bioflocculant. The precipitated bioflocculant was then collected by centrifugation at 12000 x g for 15 min at 4°C and re-suspended in ultra-pure water. Further impurities were separated via dialysis against ultra-pure water with minimum three times water change in 24 h at 4°C. The resulting dialyzed suspension was then lyophilize to collect the pure bioflocculant.

2.7 Surface morphology imaging

The surface morphology of the freeze-dried purified bioflocculant was observed using a scanning electron microscope (SEM) Carl Zeiss EVO-MA10 (Canada). The samples attached to carbon stubs were gold-coated (Nwodo and Okoh 2012) twice and examined using the microscope at an accelerating voltage of

20.0 kV. Additionally, the surface morphology of the kaolin particles both before and after flocculation were also scanned and observed.

2.8 Data Analysis

For each experiment, a minimum of three replicates of UPMB13 cultures were prepared. Descriptive statistics for pattern and trend observations were determined with the mean and standard deviation values measured. Significant differences were analyzed through analysis of variance (ANOVA) at 0.05 confidence level. Additionally, where applicable, repeated measures ANOVA were used for data measured repeatedly in a timely basis.

3 Results and Discussion

3.1 L-glutamic acid independent production of bioflocculants

Both L-glutamic acid and the citric acid inhibited UPMB13 growth, as the culture broths with the supplements were observed to be clear and translucent after 48 h of incubation, suggestive of the absence of bacterial growth. In comparison, the control treatment without any added supplement were detected to be naturally viscous after 48 h of incubation (Table 1).

The upper phase of the treated kaolin suspension with the supplemented broth were observed to be clear, hence producing a measured flocculating activities of 71.7% and 27.7% for the LGA and the LGA+CA treatment, respectively. However, no floc formation was detected in both treatments (Table 1). In contrast, the control TSB media induced flocs formation with percentage flocculating activities measured at 81.7% (p<0.05). Charge de-stabilization of the kaolin particles might occur in the treated system by the LGA and LGA+CA treatments which explains the percentage flocculating activities measured, despite the absence of the bioflocculant.

Productions of γ -PGA by *B. subtilis* strains are usually L-glutamic acid dependent, while L-glutamic acid independent strains were described to be relatively unknown and thus less reported (Shih and Van 2001). Some of the L-glutamic acid independent bacteria reported to produce γ -PGA through the *de novo* production pathway (without supplement) includes *B. subtilis* TAM-4 (Ito et al. 1996), *B. subtilis* C1 (Shih et al. 2005) and *B. subtilis* C10 (Zhang et al. 2012). Among the studies on the production of γ -

PGA by *B. subtilis* strains that were reported as bioflocculants (Yokoi et al. 1995; Yokoi et al. 1996; Wu and Ye 2007; Wang et al. 2008; Bajaj and Singhal 2011b; Bhunia et al. 2012) none were *de novo* producers of γ-PGA. Other γ-PGAs produced through *de novo* pathways (Ito et al. 1996; Shih et al. 2005; Zhang et al. 2012) have not been reported as potential bioflocculants. In two rare cases, γ-PGA had been reported to be produced by *Bacillus* strains either with or without (*de novo*) the presence of glutamic acid (Mahmoud 2006; Xu et al. 2005). Therefore, *B. subtilis* UPMB13 is considered a novel *de novo* producer of bioflocculants as compared to other cases reported in the literature.

Production of EPS by *B. subtilis* strains has been reported to co-dependently rely on citric acid apart from the L-glutamic acid supplement (Bajaj and Singhal 2011a). Naturally, *B. subtilis* strains can utilize citric acid as an organic acid carbon source for growth. However, UPMB13 were notably different as citric acid supplement inhibited its growth. Xu et al. (2005) reported similarly for the strain *B. subtilis* NX-2 which could not incorporate citric acid during growth for γ-PGA production.

Hence, *B. subtilis* UPMB13 was concluded to be a *de novo* producer of bioflocculants in the absence of L-glutamic acid or citric acid supplements during growth.

3.2 Bioflocculant production during growth

Time course for bioflocculant productions by *B. subtilis* UPMB13 are as depicted in Figure 1. Bioflocculant presence at the early stage of UPMB13 growth was reflected by the 87.2% flocculating activities measured and visible flocs formation observed at 24 h of incubation. The flocculating activities maintained above 80% between 24-72 h (p>0.05). This suggests that bioflocculant production by UPMB13 occurred parallel to its logarithmic growth rate. However, between 78 h to 120 h, decrements in flocculating activities were observed, although UPMB13 growth continued to proliferate. The relationship between growth of UPMB13 and bioflocculant production was analyzed using Pearson Product Moment correlation. There is a strong negative relationship (R = -0.787) between flocculating activities of the bioflocculant with growth (p<0.01).

Okaiyeto et al. (2015) reported that the decrease in flocculating activities after 72 h of incubation could be due to deflocculating enzymes excreted by the strain during death phase. However, in this study, the growth of UPMB13 was observed to be maintained up to 120 h while flocculating activities were declining. Therefore, it was hypothesized that the limited nutrient supplied (100 mL) had led to the uptake

of the bioflocculant already present in the culture by the cells as alternative food for growth, while productions of new bioflocculants were inhibited by the stressful conditions created by the scarcity of the food. This theory was proven by the results in the next section.

3.3 Effect of culture media ratio on bioflocculant production

Consumption of the bioflocculants excreted into the culture media as substitute food source for growth was hypothesized to be the reason for the low flocculating performances observed in the later growth stage in Figure 1. This theory was further tested by varying the ratio of culture media used to the inoculum and the results are as portrayed in Figure 2.

Both the 250 mL and 500 mL (*p*>0.05) cultures have significantly higher flocculating performances as compared to the 100 mL culture of UPMB13 (*p*<0.05) after prolonged fermentations. With ample nutrients provided by the 250 mL and 500 mL culture, bioflocculant productions by UPMB13 had sustained until the 120 h as the percentage flocculating activities measured remained around 90%. Contradictorily, the 100 mL culture experienced the normal decrease in flocculating performances with prolonged growth. Hence, it was proven that the bioflocculants already present in culture media excreted earlier were being taken up by the strain to support further growth while no new bioflocculants were being produced in the stressful conditions of limited nutrients. It was reported by Kimura et al. (2004) that excreted EPS may be a source of food during starvation in the late stationary microbial growth phase.

3.4 Effect of oxygen fluxes on bioflocculant production

Biopolymers yield in aerobic microbial processes depends greatly on oxygen fluxes provided through agitation and aeration during fermentations (Richard and Margaritis 2003). Figure 3 illustrates the flocculating performances of UPMB13 cultures subjected to different shaking speeds provided during incubation. Flocculating activities >80% (p>0.05) were recorded at the optimal incubation speeds of 100 to 200 rpm. Significantly poorer flocculation were observed for cultures agitated at speed higher than 200 rpm (p<0.05).

Rapid bacterial growth at higher speed may result in the scarcity of food resources and led to the re-uptake scenario of the excreted bioflocculant as alternative source for food. Excessive oxygen due to

rapid agitations may also inhibit biopolymeric excretions as concentration of dissolved oxygen affects microbial nutrient absorption and enzymatic reaction for EPS productions (Su et al. 2012). Furthermore, inhibition of production could also be due to the rapid conversion of carbon source to carbon dioxide resulting from the increase in growth and respiration which led to a decrease in biopolymeric productions (Patil et al. 2010.).

3.5 Effect of initial pH on bioflocculant production

Optimum initial pH for bioflocculant productions by UPMB13 were at pH 7.0 to 8.0 with percentage flocculating activities measured >75% (p>0.05) (Figure 4). Although the growth of UPMB13 were observed to be higher at pH 5.0 and 6, however, flocculating performances measured were significantly lower (p<0.05). The unfavorable acidic nature of the culture media at these pH ranges might create stressful culture conditions that lower bioflocculant excretions by the strain (Ntsaluba et al. 2013).

As bioflocculant production occurs parallel with growth, naturally the optimum pH for production would be similar to the pH that induces bacterial growth. However, for UPMB13, the initial pH of the culture media had more influence on bioflocculant production despite the level of growth. According to Prasertsan et al. (2008), the synthesis of the enzymes that are responsible for EPS excretion are pH dependent. Furthermore, it was reported that nutrient assimilation and enzymatic response of microorganisms for bioflocculant production may be affected by initial pH of the culture media (Aljuboori et al. 2013).

3.6 Effect of incubation temperature on bioflocculant production

Bioflocculant production were proven feasible in both temperature range with significantly different flocculating performances observed (p<0.05). The 25-30°C temperature range was proven optimum for both growth and bioflocculant production. In comparison, at higher temperature range of 37-40°C, the growth and the flocculating performances of UPMB13 were observed to be inferior (Figure 5).

While the growth of UPMB13 fluctuates in the temperature range of 25-30 $^{\circ}$ C between 24 h to 72 h, sustained bioflocculant productions were observed, reflected by the >70% percentage flocculating activities measured throughout the assay. In contrast, the flocculating activities of UPMB13 grown at 37-40 $^{\circ}$ C decreases with time although its growth proliferated towards the end of the test. This suggested that

the available bioflocculant produced might be consumed back as food substitute that induces growth and thus, lowered the flocculating performances.

Optimum growth temperatures for *B. subtilis* were reported to be at 30-37°C with the minimum temperature of 18°C and the maximum at 43°C (Korsten and Cook 1996). However, for the purpose of bioflocculant production, it was concluded that the optimum temperature range for UPMB13 was 25-30°C.

3.7 Distribution of flocculating abilities by different culture parts

Distribution of flocculating abilities by separated culture parts reflects production source and determines the capacity of each part to be extracted and further purified (Liu and Cheng 2010). Naturally, bioflocculants productions by microorganism can be cellularly bounded or excreted extracellularly as slimes (Subramanian et al. 2009). Therefore, distribution of flocculating activities by different culture parts of UPMB13 was investigated (Figure 6).

High flocculating activities around 89% can be observed by both the culture broth and the cell-free supernatant (p>0.05) with visible flocs formed. In comparison, the cells' flocculating activities were significantly lower at only 39.4% (p<0.05), with no flocs formation observed. Charge destabilizations by the cation supplied may explain the percentage flocculating activities achieved by the cells apart from the residual bioflocculant activities that may adhered to the cell surfaces (Wei et al. 2008).

The results obtained proved that the bioflocculants are extracellularly produced by UPMB13 into the surrounding broth, exhibited by the cell-free supernatant similarly. Hence, the cell-free supernatant was chosen as the bioflocculant source for the extraction and characterization of the bioflocculant.

3.8 Genetic competence for continuous bioflocculant production

UPMB13 was proven to be genetically competence for continuous production of high performing bioflocculants as the ability to produce the bioflocculants persist up to its 10th generation progeny (Figure 7).

Percentage flocculating activities measured for each generation fluctuated and maintained above 80% (p>0.05) with an exception of the 10th generation, where a slight 9% decrease can be seen compared

to the highest measured performance at 86.9% (p<0.05). Visual assessment of flocs formation were also positive for all generations.

Continuous sub-culturing had been reported to cause loss of ropy and mucoid phenotypic expression of polysaccharides by the strain (Dierksen et al. 1997), whereby these characteristics are major contributors to bioflocculability. Furthermore, Shih and Wu (2009) reviewed that some B. subtilis strains have different genetic competency in EPS production. For instance, B. subtilis subsp. (natto) had been reported to be genetically incompetent in continuous production of γ -PGA. In other reported studies genetic incompetency in bioflocculant production could be overcome through ion implantation (Peirui et al., 2008).

Hence, based on the results it was proven that UPMB13 has the genetic competence in bioflocculant production even after incessant sub-culturing processes.

3.9 Microscopic images of purified bioflocculant and bioflocculation

From the optimum cultural conditions determined above, fermentation of 1 L batch cultures were prepared to extract the bioflocculant at its best measured performance based on the kaolin assays. About 0.90g of purified bioflocculant can be collected from 1 L culture of UPMB13 in TSB.

Figure 8a shows the image of the purified bioflocculant produce by UPMB13, while Figure 8b and Figure 8c display the microscopic images of the kaolin particles both before and after treated by the bioflocculant, respectively. The purified bioflocculant (Figure 8a) appeared to be fibrous with smooth globular structures. These are the typical attributes of γ -PGA as observed by Yang (2011).

The un-flocculated kaolin particles (Figure 8b) are scattered, dispersed and smaller in nature, while the flocculated kaolin particles (Figure 8c) were observed to be clumped together and larger in comparison. According to a review by Maximova and Dahl (2006), aggregated particles formed through induced polymeric flocculations and salt coagulations can be in the form of either loose or compact structures. Aggregates formed in a system with high salts concentrations with added polymeric bridging are loose in nature while those formed from the low coagulant concentration with added shear during bridging lead to the formation of compact aggregate structures. Therefore, referring back to Figure 8c, it can be confirmed that the flocculated kaolin particles portrayed the properties of a compact aggregated

structures which were formed through the induced polymeric bridging of UPMB13 bioflocculant with applied shear and minimal cationic aid.

Similar observation was also reported by Nwodo et al. (2014), whereby the bioflocculated kaolin particles formed tightly weaved continuous structures with no evident spacing observed between the particles. Observations of these clumped, flocculated kaolin particles proved the binding and bridging treatment induced by the bioflocculant (Cosa et al. 2013).

4 Conclusions

Extracellular *de novo* synthesis (L-glutamic acid independent) of bioflocculants by *B. subtilis* UPMB13 were found to occur at an early logarithmic growth phase of 24-72 h of fermentation. Bioflocculant production was found to be negatively correlated with growth at a limited supply of 100 mL of tryptic soy broth media. Productions of high performing bioflocculants may be prolonged and sustained with optimal fermentation conditions of sufficient nutrients provided and suitable oxygen level supplied. Proliferation of bacterial growth occur at best at 25-30°C and at the optimum pH 6 while pH 7.0 was more preferable for early bioflocculant productions. Bioflocculant production through submerged fermentation of *B. subtilis* UPMB13 was proven feasible based on its genetic competency in continuous production of high performance bioflocculant. The results of the research can be useful in water treatment applications.

Acknowledgements This research has been funded by the Spanish Ministerio de Economia y Competitividad (project CTM2015-69513-R). Dimitrios Komilis thanks Tecniospring for the financial support.

References

Aljuboori AHR, Idris A, Abdullah N, Mohamad R (2013) Production and characterization of a bioflocculant produced by *Aspergillus flavus*. Bioresource Technol 127:489-493. doi:10.1016/j.biortech.2012.09.016

Amir HG, Shamsuddin ZH, Halimi MS, Ramlan MF, Marziah M (2003) N₂ fixation, nutrient accumulation and plant growth promotion by rhizobacteria in association with oil palm seedlings. Pakistan J Biol Sci 6:1269-1272.

330	Bajaj I, Singhal R (2011a) Poly (glutamic acid): an emerging biopolymer of commercial interest
337	Bioresource Technol 102:5551-5561. doi:10.1016/j.biortech.2011.02.047
338	Bajaj I, Singhal R (2011b) Flocculation properties of poly(γ-glutamic acid) produced from <i>Bacillus</i>
339	subtilis isolate. Food Bioprocess Tech 4:745-752. doi:10.1007/s11947-009-0186-y
340	Bhunia B, Mukhopadhy D, Goswami S, Mandal T, Dey A (2012) Improved production, characterization
341	and flocculation properties of poly (γ) -glutamic acid produced from <i>Bacillus subtilis</i> . J Biochem
342	Technol 3:389-394.
343	Chen X, Chen S, Sun M, Yu Z (2005) Medium optimization by response surface methodology for poly-γ-
344	glutamic acid production using dairy manure as the basis of a solid substrate. Appl Microbiol Bio
345	69:390–396. doi: 10.1007/s00253-005-1989-z
346	Cosa S, Ugbenyen AM, Mabinya LV, Rumbold K, Okoh AI (2013) Characterization and flocculation
347	efficiency of a bioflocculant produced by a marine Halobacillus. Environ Technol 34:2671-2679
348	doi:10.1080/09593330.2013.786104
349	Devesa-Rey R, Bustos G, Cruz J, Moldes A (2012) Evaluation of non-conventional coagulants to remove
350	turbidity from water. Water Air Soil Poll 223:591-598. doi: 10.1007/s11270-011-0884-8
351	Dierksen KP, Sandine WE, Trempy JE (1997) Expression of ropy and mucoid phenotypes in Lactococcus
352	lactis. J Dairy Sci 80:1528-1536. doi:10.3168/jds.S0022-0302(97)76082-X
353	Ito Y, Tanaka T, Ohmachi T, Asada Y (1996) Glutamic acid independent production of poly (y-glutamic
354	acid) by Bacillus subtilis TAM-4. Biosci Biotech Bioch 60:1239-1242. doi:10.1271/bbb.60.1239
355	Jihong Z, Congbin L (2008) Screening and culture condition optimizing of microbial flocculant-
356	producing bacterium. The 2nd International Conference on Bioinformatics and Biomedical
357	Engineering, Shanghai, IEEE, pp 4409-4412. doi:10.1109/ICBBE.2008.599
358	Kimura K, Tran LSP, Uchida I, Itoh Y (2004) Characterization of Bacillus subtilis gamma-
359	glutamyltransferase and its involvement in the degradation of capsule poly-gamma-glutamate.
360	Microbiol 150:4115-4123. doi:10.1099/mic.0.27467-0
361	Korsten L, Cook N (1996) Optimizing culturing conditions for Bacillus subtilis. South Afric Avocado
362	Grow Assoc Yearbook 19:54-58.
363	Liu LF, Cheng W (2010) Characteristics and culture conditions of a bioflocculant produced by
364	Penicillium sp. Biomed Environ Sci 23:213-218. doi:10.1016/S0895-3988(10)60055-4

303	Mahmoud DAR (2006) Isolation of polyglutamic acid flocculant producing bacteria from extreme
366	egyptian environments. Journal of Applied Science Research 2:608-612.
367	Maximova N, Dahl O (2006) Environmental implications of aggregation phenomena: current
368	understanding. Curr Opin Colloid In 11:246-266. doi:10.1016/j.cocis.2006.06.001
369	Muthulakshmi L, Nellaiah H, Busi S (2013) Production and characterization of a novel bioflocculant
370	from Klebsiella sp. Curr Biot 2:53-58.
371	Ntsaluba L, Nwodo UU, Mabinya L, Okoh A (2013) Studies on bioflocculant production by a mixed
372	culture of Methylobacterium sp. Obi and Actinobacterium sp. Mayor. BMC Biotechnol 13:1-7
373	doi:10.1186/1472-6750-13-62
374	Nwodo UU, Green E, Mabinya LV, Okaiyeto K, Rumbold K, Obi LC, Okoh AI (2014) Bioflocculant
375	production by a consortium of Streptomyces and Cellulomonas species and media optimization via
376	surface response model. Colloid Surface B 116:257-264. doi:10.1016/j.colsurfb.2014.01.008
377	Nwodo UU, Okoh AI (2012) Characterization and flocculation properties of biopolymeric flocculant
378	(glycosaminoglycan) produced by Cellulomonas sp. Okoh. J Appl Microbiol 114:1325-1337. doi:
379	10.1111/jam.12095
380	Okaiyeto K, Nwodo UU, Mabinya LV, Okoli AS, Okoh AI (2015) Characterization of a bioflocculant
381	(MBF-UFH) produced by Bacillus sp. AEMREG7. Int J Mol Sci 16:12986-13003. doi:
382	10.3390/ijms160612986
383	Patil S, Salunkhe R, Patil C, Patil D, Salunke B (2010) Bioflocculant exopolysaccharide production by
384	Azotobacter indicus using flower extract of Madhuca latifolia L. Appl Biochem Biotech 162:1095-
385	1108. doi: 10.1007/s12010-009-8820-8
386	Patil SV, Bathe GA, Patil AV, Patil RH, Salunkea BK (2009) Production of bioflocculant
387	exopolysaccharide by <i>Bacillus subtilis</i> . Adv Biot 8:14-17.
388	Peirui L, Zongwei L, Zongyi L, Guangyong Q, Yuping H (2008) Screening of bioflocculant-producing
389	strain by ion implantation and flocculating characteristics of bioflocculants. Plasma Sci Technol
390	10:394. doi:10.1088/1009-0630/10/3/26
391	Prasertsan P, Wichienchot S, Doelle H, Kennedy JF (2008) Optimization for biopolymer production by
392	Enterobacter cloacae WD7. Carbohyd Polym 71:468-475. doi:10.1016/j.carbpol.2007.06.017

393	Richard A, Margaritis A (2003) Rheology, oxygen transfer, and molecular weight characteristics of
394	poly(glutamic acid) fermentation by Bacillus subtilis. Biotechnol Bioeng 82:299-305.
395	doi:10.1002/bit.10568
396	Salehizadeh H, Yan N (2014) Recent advances in extracellular biopolymer flocculants. Biotechnol Adv
397	32:1506-1522. doi:10.1016/j.biotechadv.2014.10.004
398	Shih IL, Van YT (2001) The production of poly-(γ-glutamic acid) from microorganisms and its various
399	applications. Bioresource Technol 79:207-225. doi:10.1016/S0960-8524(01)00074-8
400	Shih L, Wu JY (2009) Biosynthesis and application of poly (γ-glutamic acid). In: Bernd R (ed) Microbial
401	production of biopolymers and polymer precursors: applications and perspectives. Horizon Scientific
402	Press, Norfolk, pp 101-141
403	Shih IL, Wu PJ, Shieh CJ (2005) Microbial production of a poly(γ-glutamic acid) derivative by <i>Bacillus</i>
404	subtilis. Process Biochem 40:2827-2832. doi:10.1016/j.procbio.2004.12.009
405	Su X, Shen X, Ding L, Yokota A (2012) Study on the flocculability of the Arthrobacter sp., an
406	actinomycete resuscitated from the VBNC state. World J Microb Biot 28:91-97. doi:
407	10.1007/s11274-011-0795-2
408	Subramanian SB, Yan S, Tyagi RD, Surampalli RY (2009) Bioflocculants. In: Tyagi RD, Surampalli RY
409	Yan S, Zhang TC, Kao CM, Lohani BN (eds) Sustainable sludge management. American Society of
410	Civil Engineers, Reston, pp 146-167
411	Wang X, Zhang Y, Zhong W (2008) Poly-γ-glutamic acid production by novel isolated <i>Bacillus subtilis</i>
412	zjutzy and its flocculating character. J Biotechnol 136:S43.
413	Wei W, Fang M, Xiuli Y, Aijie W (2008) Purification and characterization of compound bioflocculant.
414	In: The 2nd International Conference on Bioinformatics and Biomedical Engineering, Shanghai,
415	IEEE, pp 1127–1130. doi:10.1109/ICBBE.2008.275
416	Wong YS, Ong SA, Teng TT, Aminah LN, Kumaran K (2012) Production of bioflocculant by
417	Staphylococcus cohnii sp. from palm oil mill effluent (POME). Water Air Soil Poll 223:3775-3781.
418	doi:10.1007/s11270-012-1147-z
419	Wu JY, Ye HF (2007) Characterization and flocculating properties of an extracellular biopolymer
420	produced from a Bacillus subtilis DYU1 isolate. Process Biochem 42:1114-1123.
421	doi:10.1016/j.procbio.2007.05.006

422	Xu H, Jiang M, Li H, Lu D, Ouyang P (2005) Efficient production of poly(γ -glutamic acid) by newly
423	isolated Bacillus subtilis NX-2. Process Biochem 40:519-523. doi:10.1016/j.procbio.2003.09.025
424	Yang X (2011) Preparation and characterization of γ-poly (glutamic acid) copolymer with glycol
425	diglycidyl ether. Procedia Environmental Sciences 8:11-15. doi:10.1016/j.proenv.2011.10.004
426	Yokoi H, Arima T, Hirose J, Hayashi S, Takasaki Y (1996) Flocculation properties of poly([γ]-glutamic
427	acid) produced by Bacillus subtilis. J Ferment Bioeng 82:84-87. doi:10.1016/0922-338X(96)89461-X
428	Yokoi H, Natsuda O, Hirose J, Hayashi S, Takasaki Y (1995) Characteristics of a biopolymer flocculant
429	produced by <i>Bacillus sp.</i> PY-90. J Ferment Bioeng 79:378–80. doi:10.1016/0922-338X(95)94000-H
430	Yu W, Chen Z, Shen, L, Wang Y, Li Q, Yan S, Zhong CJ, He N (2015) Proteomic profiling of Bacillus
431	licheniformis reveals a stress response mechanism in the synthesis of extracellular polymeric
432	flocculants. Biotechnol Bioeng 9999:1-10. doi:10.1002/bit.25838
433	Zhang H, Zhu J, Zhu X, Cai J, Zhang A, Hong Y, Huang J, Huang L, Xu Z (2012) High-level exogenous
434	glutamic acid-independent production of poly-(γ -glutamic acid) with organic acid addition in a new
435	isolated Bacillus subtilis C10. Bioresource Technol 116:241-246. doi:10.1016/j.biortech.2011.11.085
436	Zulkeflee Z, Aris AZ, Shamsuddin ZH, Yusoff MK (2012) Cation dependence, pH tolerance, and dosage
437	requirement of a bioflocculant produced by Bacillus spp. UPMB13: flocculation performance
438	optimization through kaolin assays. Sci World J. doi:10.1100/2012/495659
439	

Table 1 Growth and flocculating activities of UPMB13 at 48 h of incubation

Media	OD660	Flocculating activities (%)	Flocs presence
Tryptic soy broth (TSB)	1.49 ± 0.05	81.7	Present
TSB + L-glutamic acid (LGA)	0.04 ± 0.01	71.7	Absent
TSB + L-glutamic acid and citric acid (LGA+CA)	0.03 ± 0.01	27.7	Absent

443	Figure captions
444	
445	Fig. 1 The timeline of bioflocculant production by <i>B. subtilis</i> UPMB13 during growth. Bioflocculant
446	production is reflected by the flocculating activities measured
447	
448	Fig. 2 The effect of different culture media ratio on flocculating activities
449	
450	Fig. 3 The effect of various incubation shaking speed on flocculating performances of UPMB13 at 24 h
451	of incubation. Flocs were present in all treatments.
452	
453	Fig. 4 Flocculating activities and growth measured at 24 h at different initial pH. Flocs were present in all
454	treatments.
455	
456	Fig. 5 The flocculating activities of UPMB13 biofloculant at incubation temperature range of 25-30 $^{\circ}$ C (
457) and 37-40°C () and the growth at 25-30°C () and 37-40°C (X). Flocs were present in all treatments.
458	
459	Fig. 6 The distribution of flocculating abilities by different culture parts. The original culture is
460	represented by the broth. The broth is then centrifuged to separate both the supernatant and the cell
461	component of the culture. Flocs were absent in the cell treatment.
462	
463	Fig. 7 Flocculating activities of UPMB13 up to the 10 th culture progenies. Flocs were present in all
464	treatments.
465	
466	Fig. 8 SEM images of (a) the purified bioflocculant, (b) un-flocculated kaolin particles, and (c) kaolin
467	particles flocculated with UPMB13 bioflocculant