

194. Kunishio K, Ohmoto T, Matsuhisa T, Maeshiro T, Furuta T, Matsumoto K. The significance of nucleolar organizer region (Ag-NOR) score in predicting meningioma recurrence. *Cancer* 1994; 73:2200-2205.
195. Laerum OD, Farsund T. Clinical application of flow cytometry: a review. *Cytometry* 1981; 2:1-13.
196. Lapham LW. Subdivision of glioblastoma multiforme on a cytologic and cytochemical basis. *J Neuropath Exp Neurol* 1959;18:244-262.
197. Larsson C, Bystian C, Skoog L, Rotskin S, Gold M. Chromosomal mutations in human breast carcinoma. *Genes, Chromosomes & Cancer* 1990; 2:181-187
198. Lee KS, Hoshino T, Rodríguez LA, Bederson J, Davis RL, Wilson CB. Bromodeoxyuridine labeling study of intracranial meningiomas: proliferative potential and recurrence. *Acta Neuropathol (Berl)* 1990; 80:311-317.
199. Lehman J, Krug H. Flow-through fluorocytometry of different brain tumors. *Acta Neuropathol* 1980; 49:123-132.
200. Lelle RJ, Heidenreich W, Stauch G, Gerdes J. The correlation of growth fractions with histologic grading and lymph node status in human mammary carcinoma. *Cancer* 1987; 59:83-88.

201. Leong A S-Y, Gilham P. Silver staining of nucleolar organizer regions in malignant melanoma and melanotic nevi. *Hum Pathol* 1989;20:257-262.
202. Lesch KP, Schott W, Engl HG, Gross S, Thierauf P. Gonadal steroid receptors in meningiomas. *J Neurol* 1987; 234:328-333
203. Levy WJ, Bay J, Dohn D. Spinal cord meningioma. *J Neurosurg* 1982;57:804-812.
204. Lippman M, Bolan G, Huff K. The effects of estrogens and antiestrogens on hormone-responsive human breast cancer in long-term tissue culture. *Cancer Res* 1976; 36:4595-4601.
205. Lische MA, Smetana K, Olson MOJ, BUSCH H. Protein C23, B23 are the major nucleolar silver staining proteins. *Life Sci* 1984; 25:701-708
206. Louis DN, Hamilton AJ, Sobel RA, Ojemann RG. Pseudopsammomatous meningioma with elevated serum carcinoembryonic antigen: a true secretory meningioma. *J Neurosurg* 1991; 74:129-132.
207. Louis DN, Meehan SM, Ferrante RJ, Hedley-Whyte ET. Use of the Silver Nucleolar Organizer Region (AgNOR) Technique in the Differential Diagnosis of Central Nervous System Neoplasia. *J Neuropathol Exp Neurol*.1992; 51:150-157.

208. Ludwin SK, Rubinstein LJ, Russell DS. Papillary meningioma: a malignant variant of meningioma. *Cancer* 1975; 36:1363-1373.
209. Macartney JC, Camplejohn RS, Alder J, Stone MG, Powell G. Prognostic importance of DNA flow cytometry in non-Hodgkins lymphomas. *J Clin Pathol* 1986; 39:542-546.
210. MacCarty CS, Taylor WF. Intracranial meningiomas: experiences at the Mayo Clinic (in Japanese, English abstract). *Neurol Med Chir (Tokyo)* 1979; 19:569-574.
211. Mahmood A, Caccamo D, Tomecek F, Malik G. Atypical and malignant meningiomas: A clinicopathological review. *Neurosurgery* 1993; 33:955-963.
212. Maier H, Morimura T, Öfner D, Hallbrucker C, Kitz K, Budka H. Argyrophilic nucleolar organizer regions proteins (AG-NORs) in human brain tumors. Relations with grade of malignancy and proliferation indices. *Acta Neuropathol (Berl)* 1990; 80:156-162.
213. Maier H, Öfner D, Hittmair A, Kitz K, Budka H. Classic, atypical, and anaplastic meningioma: three histopathological subtypes of clinical relevance. *J Neurosurg* 1992; 77:616-23.
214. Maiuri F, Montagnani S, Gallicchio B. Estrogen and progesterone receptors in meningiomas. *Surg Neurol* 1986; 26:435-440.

215. Martin H, Hufnagl P, Beil M, Wenzelides K, Gottschalk J, Rahn W. Nucleolar organizer region-associated proteins in cancer cells. Quantitative investigations on gliomas, meningiomas, urinary bladder carcinomas and pleural lesions. *Anal Quant Cytol Histol* 1992; 14:312-319.
216. Mathiesen T, von Holst h, Askensten U, Collins PV. DNA determination in the clinical management of patients with meningioma or haemangioblastoma. *Br J Neurosurg* 1989; 3:575-581.
217. McGuire WL, Meyer JS, Barlogie B, Kute TE. Impact of flow cytometry on predicting recurrence and survival in breast cancer patients. *Breast Cancer Res Treat* 1985; 5:117-128.
218. Mc Lean CA, Jolley D, Cukier E, Giles G, Gonzales MF. Atypical and malignant meningioma: Importance of micronecrosis as a prognostic indicator. *Histopathology* 1993; 23:349-353.
219. Marc JA, Takei Y, Schechter MM, Hoffman JC. Intracranial hemangiopericytomas. Angiography, pathology and differential diagnosis. *AJR* 1975; 125:823-32.
220. Mark J. Chromosomal patterns in human meningiomas. *Eur J Cancer* 1970; 6:489-498.
221. Mark J. Chromosomal abnormalities and their specificity in human neoplasms: an assesment of recent observations by banding techniques. *Adv Cancer Res* 1977; 24:165-222

222. Markwalder TM, Zava DT, Goldhirsch A, Markwalder RV. Estrogen and progesterone receptors in meningiomas in relation to clinical and pathological features. *Surg Neurol* 1983; 20:42-7.
223. Markwalder TM, Markwalder RV, Zava DT. Estrogen and progestin receptors in meningiomas: clinicopathological correlations. *Clin Neuropharmacol* 1984; 7:368-374.
224. Markwalder TM, Seiler RW, Zava DT. Antiestrogenic therapy of meningiomas-a pilot study. *Surg Neurol* 1985; 24:245-249.
225. Markwalder TM, Gerber HA, Waelti E, Schaffner T, Markwalder RV. Hormonotherapy of meningiomas with medroxyprogesterone acetate. Immunohistochemical demonstration of the effect of medroxyprogesterone acetate on growth fractions of meningioma cells using the monoclonal antibody Ki67. *Surg Neurol* 1988; 30:97-101.
226. Marshall CJ. Tumour suppressor genes. *Cell* 1991; 64:313-326.
227. Martin JC, Swartzendruber DE. T line: A new parameter for kinetic measurements in flow cytometry. *Science* 1980; 207:199-201.
228. Martin H, Hufnagl P, Beil M, Wenzelides K, Gottschalk J, Rahn W. Nucleolar organizer region-associated proteins in cancer cells. Quantitative investigations on gliomas, meningiomas, urinary bladder carcinomas and pleural lesions. *Anal Quant Cytol Histol* 1992; 14:312-319.

229. Martínez R, Ramiro J, Montero C, Pérez Calvo JM, Vaquero J. Extradural spinal meningiomas with intrathoracic extension. Report of two cases. *J Neurosurg Sci* 1988; 32:179-181.
230. Martuza RL, Miller DC, Mac Laughlin DT. Estrogen and progestin binding by cytosolic and nuclear fractions of human meningiomas. *J Neurosurg* 1985; 62:750-756.
231. Matthews DE, Farewell VT. Using and understanding Medical Statistics. Second revised edition. Karger. Basel, 1988.
232. Maxwell RE, Chou SN. Preoperative evaluation and management of meningiomas. In: Schmidek HH, Sweet WH ed. Operative neurosurgical techniques. Indivcations, methods and results. vol 1. New York: Grune & Stratton, 1982: 481-489.
233. May PL, Broome JC, Lawry J, Buxton RA, Battersby RD. The prediction of recurrence in meningiomas. A flow cytometric study of paraffin-embedded archival material. *J Neurosurg* 1989; 71:347-351.
234. Mealey J Jr, VCarter JE. Spinal cord tumor during pregnancy. *Obstet Gynecol* 1968; 32:204-209.
235. Meese E, Blin N, Zang KD. Loss of heterozygosity and the origin of meningiomas. *Hum Genet* 1987; 77:349-351
236. Melamed Sh, Sahar A, Beller AJ. The recurrence of intracranial meningiomas. *Neurochirurgia (Stuttg)* 1979; 22:47-51.

237. Mena H, Ribas JL, Pezeshkpour GH, Cowan DN, Parisi JE. Hemangiopericytoma of the CNS: a review of 94 cases. *Hum Pathol* 1991; 22:84-91.
238. Michaud J, Cagné F. Microcystic meningioma. Clinicopathologic report of 8 cases. *Arch Pathol Lab Med* 1983; 197:75-80.
239. Michelsen JJ, New PFJ. Brain tumor and pregnancy. *J Neurol Neurosurg Psychiatry* 1969; 32:305-307.
240. Miller CD, Ojemann RJ, Proppe KH, McGinnis BD, Grillo HC. Benign metastasizing meningioma. Case report. *J Neurosurg* 1985; 62:763-766.
241. Mirimanoff RO, Dosoretz DE, Linggood RM, Ojemann RG, Martuza RL. Meningioma: analysis of recurrence and progression following neurosurgical resection. *J Neurosurg* 1985; 62:18-24.
242. Mitelman F, Levan G. Clustering of aberrations to specific chromosomes in human neoplasms II. A survey of 287 neoplasms. *Hereditas* 1976; 87:167-174.
243. Modan B, Baidatz D, Mart H, Steinitz R, Levin SG. Radiation-induced head and neck tumors. *Lancet* 1974; 1:277-279.
244. Morimura T, Kitz K, Budka H. In situ analysis of cell kinetics in human brain tumors: a comparative immunocytochemical study of S phase cells by a new in vitro bromodeoxyuridine-labeling technique, and of proliferating pool cells by monoclonal antibody Ki-67. *Acta Neuropathol* 1989; 77:276-282.

245. Mørk SJ, Laerum OD. Modal DNA content of human intracranial neoplasms studied by flow cytometry. *J Neurosurg* 1980; 53:198-204.
246. Moss TH. Immunohistochemical characteristics of hemangiopericytic meningiomas: comparison with typical meningiomas, hemangioblastomas, and hemangiopericytomas from extracranial sites. *Neuropathol Appl Neurobiol* 1987; 13:467-480.
247. Müller J, Mealey J, Jr. The use of tissue culture in differentiation between angioblastic meningioma and hemangiopericytoma. *J Neurosurg* 1971; 34:341-348.
248. Murphy WM, Chandler RW, Trafford RM. Flow cytometry of deparaffinised nuclei compared to histological grading for the pathological evaluation of transitional cell carcinomas. *J Urol* 1986; 135:694-697.
249. Nagashima T, De Armond SJ, Murovic J, Hoshino T. Immunohistochemical demonstration of S-phase cells by anti-bromodeoxyuridine monoclonal antibody in human brain tumor tissues. *Acta Neuropathol (Berl)* 1985; 67:155-159.
250. Nagashima T, Hoshino T, Cho KG, Senegor M, Waldman F, Nomura K. Comparison of bromodeoxyuridine labeling indices obtained tissue sections and flow cytometry of brain tumors. *J Neurosurg* 1988;68:388-392.

251. Nakamura M, Inohue HK, Onu N, Kunimine H, Tamada J. Analysis of hemangiopericytic meningiomas by immunohistochemistry, electron microscopy and cell culture. *J Neuropathol Exp Neurol* 1987;46:57-71.
252. Nakamura Y, Honda E, Ohshima Y, Hayashi T. Malignant meningioma with cartilage and giant cells. *Acta Path Jpn* 1991; 41:299-304.
253. Namer IJ, Pamir MN, Benli K, Saglam S, Erbengi A. Spinal meningiomas. *Neurochirurgia (Stuttgart)* 1987; 30:11-15.
254. Naumann M, Meixensberger J. Factors influencing meningioma recurrence rate. *Acta neurochir* 1990; 107:108-111.
255. New PFJ, Hesselink JR, O'Carroll CP, Kleinman GM. Malignant meningiomas: CT and histological criteria, including a new CT sign. *AJNR* 1982; 3:267-276.
256. Ng HK, Tse CCH, Lo STH. Meningiomas and arachnoid cells: an immunohistochemical study of epithelial markers. *Pathology* 1987; 19:253-257.
257. Ng HK, Tse CCH, Lo STH. Microcystic menningioma: an unusual morphologic variant of meningiomas. *Histopathology* 1989; 14:1-9.
258. Nicoll JA, Candy E. Nucleolar organizer regions and postoperative survival in glioblastoma multiforme. *Neuropathol Appl Neurobiol* 1991; 17:17-20.

259. Nishizaki T, Orita T, Saiki M, Furutani Y, Aoki H. Cell kinetics studies of human brain tumors by in vitro labeling using anti-BUdR monoclonal antibody. *J Neurosurg* 1988; 69:371-374.
260. Nishizaki T, Orita T, Furutani Y, Ykeyama Y, Aoki H, Sasaki K. Flow-cytometric DNA analysis and immunohistochemical measurement of Ki-67 and BUdR labeling indices in human brain tumors. *J Neurosurg* 1989;70:379-384.
261. Norris HJ. Mitosis counting III. *Hum Pathol* 1976; 7:483-484.
262. Nowell PC. The clonal evolution of tumor cell populations. Acquired genetic lability permits stepwise selection of variant sublines and underlies tumor progression. *Science* 1976;194:23-28.
263. Oberholzer M. Morphometrie in der klinischen Pathologie. Allgemeine Grundlagen. Springer Verlag, Berlin, Heidelberg, New York, Tokyo; 1983.
264. Oberling C. Les tumeurs des méninges. *Bull Assoc France Etude Cancer* 1922;11:365-394.
265. Ochs RL, Busch H. Further evidence that phosphoprotein C23 (110kD/pH 5.1) is in nucleolar silver staining protein. *Exp Cell Res* 1984; 152:260-265.
266. O'Hara MF, Bedrossian CWM, Johnson TS, Barlogie B. Flow cytometry in cancer diagnosis. *Prog Clin Pathol* 1989;5:135-152

267. Ojeda VJ, Stokes BA, Woodland P. Meningioma occurring twenty-three years after a successfully treated cerebellar meduloblastoma: case report. *Aust N Z J Surg* 1987; 57:133-135.
268. Okazaki M, Nishisho I, Tateishi H, Motomura K, Yamamoto M, Miki T, Hayakawa T, Takai S, Honjo T, Mori T. Loss of genes of the long arm of chromosome 22 in human meningiomas. *Mol Biol Med* 1989; 6:251.
269. Olson JJ, Beck DW, Schlechte J, Loh PM. Hormonal manipulation of meningiomas in vitro . *J Neurosurg* 1986; 65:99-107.
270. Olszewski W, Darzynkiewicz, Rosen PP, Schwartz MK, Melamed MR. Flow cytometry of breast carcinoma. I. Relationship of DNA ploidy level to histology and estrogen receptor. *Cancer* 1981; 48:980-984.
271. Ooms ECM, Veldhuizen RW. Argyrophilic proteins of the nucleolar organizer region in bladder-tumors. *Virchows Arch (A)* 1989; 414:365-369.
272. O'Rahilly R, Miller F. The meninges in human development. *J Neuropathol Exp Neurol* 1986; 45:588-608.
273. Orita T, Kajiwara K, Nishizaki T, Ikeda N, Kamiryo T, Aoki H. Nucleolar Organizer regions in meningioma. *Neurosurgery* 1990; 26:43-46.

274. Orten BC, Urich H, Rubinstein LJ, Montague SR. The angioblastic meningioma: a reappraisal of the nosological problem. *J Neurol Sci* 1977;31:387-410.
275. Osborne DR, Dubois P, Drayer B, Sage M, Borger P, Heinz ER. Primary intracranial meningeal and spinal hemangiopericytoma: radiologic manifestations. *AJNR* 1982; 3:267-76.
276. Ostertag CB, Volk B, Shibata T, Burger P, Kleihues P. The monoclonal antibody Ki-67 as a marker for proliferating cells in stereotactic biopsies of brain tumours. *Acta Neurochir (Wien)* 1987;89:117-121.
277. Oud PS, Hanselaar TGJM, Reubsaet-Veldhuizen JAM, Meijer JWR, Gemmink AH, Pahlplatz MMM, Beck HVM, Vooijs GP. Extraction of nuclei from selected regions in paraffin embedded tissue. *Cytometry* 1986; 7:595-598.
278. Pardee AB, Dubrow R, Hamlin JL, Kletzien RF. Animal cell cycle. *Annu Rev Biochem* 1978; 47:715-750.
279. Partington MD, Davis DH. Radiation-induced meningioma after treatment for pituitary adenoma: Case report and literature review. *Neurosurgery* 1990; 26:329-331.
280. Pasquier B, Gasnier F, Pasquier D, Keddari E, Morens A, Couderc P. Papillary meningioma: clinicopathologic study of seven cases and review of the literature. *Cancer* 1986;58:299-305.

281. Pathak S, Wang Z, Dhaliwal MK, Sacks PC. Telomeric association: Another characteristic of cancer chromosomes?. *Cytogenet Cell Genet* 1988; 47:227-229.
282. Pellegrini A, Robustelli Della Cuna G, Pannuti F, Pouillart P, Jonat W. Role of medroxyprogesterone acetate in endocrine-related tumors. Vol 3. New York: Raven Press, 1984.
283. Pena CE. Intracranial hemangiopericytoma: ultrastructural evidence of its leiomyoblastic differentiation. *Acta Neuropathol* (Berlin) 1977; 33:279-284.
284. Pena CE. Meningioma and intracranial hemangiopericytoma: a comparative electron microscopic study. *Acta Neuropathol* (Berlin) 1985; 39:69-74.
285. Philippon J, Bataini JP, Cornu P, Grob R, Kujas M, Poisson M, Rivierez M. Les récides des méningiomes sus-tentoriels. In Philippon J, ed. *Les méningiomes récidivants*. Neurochirurgie [Suppl] 1986;32:6-53.
286. Philippon J, Cornu P. The recurrence of meningiomas. In: Al-Mefty O, ed. *Meningiomas*. Raven Press, Ltd., New York 1991, 87-105
287. Pitkethly DT, Hardman JM, Kempe LG, Earle KM. Angioblastic meningioma: clinicopathologic study of 81 cases. *J Neurosurg* 1970;32:539-544.

288. Plate KH, Ruschoff J, Mennel HD. Nucleolar organizer regions in meningiomas. Correlation with histopathologic malignancy grading, DNA cytometry and clinical outcome. *Anal Quant Cytol Histol* 1990-b; 12:429-438.
289. Plate KH, Rüschoff J, Behnke J, Mennel HD. Proliferative potential of brain tumors as assessed by Nucleolar Organizer regions (AgNORs) and Ki-67 immunoreactivity. *Acta Neurochirurgica* 1990; 104:103-109.
290. Plate KH, Rüschoff J, Mennel HD. Cell proliferation in intracranial tumors; selective silver staining of nucleolar organizer regions (Ag NORs). Application to surgical and experimental neuro-oncology. *Neuropathol Appl Neurobiol* 1991; 17:121-132.
291. Ploton D, Menager M, Jeannesson P, Himber G, Pigeon F, Adnet J-J. Improvement in the staining and in the visualization of the argyrophilic proteins of the nucleolar organizer region at the optical level. *Histochem J* 1986; 18: 5-14.
292. Poisson M, Magdelenat H, Foncin JF, Bleibel JM, Philippon J, Pertuiset B, Buge A. Récepteurs d'estrogènes et de progestérone dans les méningiomes. Etude de 22 cas. *Rev Neurol* 1980; 136:193-203.
293. Popoff NA, Malinin TI, Rosomoff HL. Fine structure of intracranial hemangiopericytoma and angiomatous meningioma. *Cancer* 1974; 34:1187-1197.

294. Quinn CM, Wright NA. The clinical assesment of proliferation and growth in human tumors: evaluation of methods and applications as prognostic variables. *J Pathol* 1990; 160:93-102.
295. Raber MN, Barlogie B, Latreille J, Bedrossian C, Fitsche H, Blumenschein G. Ploidy, proliferative activity and estrogen receptor content in human breast cancer. *Cytometry* 1982; 3:36-41.
296. Rachlin JR, Rosenblum ML. Etiology and biology of meringiomas, in Al-Mefty O (ed): *Meningiomas*. New York, Raven, 1991, pp 22-37.
297. Radley MG, Sant' Agnese PA, Eskin TA, Wilbur DC. Epithelial differentiation in meningiomas. An immunohistochemical, histochemical and ultrastructural study with review of the literature. *AJCP* 1989; 92:266-272.
298. Remvikos Y, Magdelenat H, Zajdela A. DNA flow cytometry applied to fine needle sampling of human breast cancer. *Cancer* 1988; 61:1629-1634.
299. Rey JA, Bello MJ, de Campos JM, Vaquero J, Kusak ME, SARASA JL, Pestana A. Abnormalities of chromosome 22 in human brain tumors determined by combined cytogenetic and molecular genetic approaches. *Cancer Genet Cytogenet* 1993; 66:1-10.
300. Roelvink NC, Kamphorst W, van Alphen HA, Rao BR. Pregnancy-related primary brain and spinal tumors. *Arch Neurol* 1987;44:209-215.

301. Roggendorf W, Schuster T, Pfeiffer J. Proliferative potential of meningiomas determined with the monoclonal antibody Ki-67. *Acta Neuropathol (Berl)* 1987;73:361-364.
302. Rohringer M, Sutherland GR, Louw DF, Sima AA. Incidence and clinicopathological features of meningioma. *J Neurosurg* 1989; 71:665-672.
303. Rossi ML, Cruz Sánchez F, Hugues JT, Esiri MM, Coakham HB. Immunocytochemical study of the cellular immune response in meningiomas. *J Clin Pathol* 1988; 41: 314-319.
304. Rubinstein AB, Shalit MN, Cohen ML, Zandbank U, Reichenthal E. Radiation-induced cerebral meningioma: a recognizable entity. *J Neurosurg* 1984; 61:966-971.
305. Rubinstein AB, Schein M, Reichenthal E. The association of carcinoma of the breast with meningioma. *Surg Gynecol Obstet* 1989; 169:334-336
306. Rubinstein LJ. Relationship of angioblastic meningioma to hemangiopericytoma. In: Rubinstein LJ. *Tumors of the central nervous system. (Supplement. Fascicle 6, 2nd series)* Washington: Armed Forces Institute of Pathol, 1972:180-182.
307. Rüschoff J, Plate K, Bittinger A, Thomas C. Nucleolar organizer regions (NORs)-Basic concepts and practical application in tumor pathology. *Path Res Pract* 1989; 185:878-885

308. Russell DS, Rubinstein LJ. Pathology of tumors of the Nervous System. Baltimore, Williams & Wilkins, 1971; 58-60.
309. Russell DS, Rubinstein LJ. Pathology of tumors of the Nervous System. Baltimore, Williams & Wilkins, 1982.
310. Rustichelli P, Scoditti U, Moretti G, Poletti AL, Painsi GP, Baldi PG. Studio retrospettivo di 50 casi di meningioma spinale. *Acta Biomed Ateneo Parmense* 1984; 55:255-260.
311. Sachs L. Applied Statistics: a handbook of techniques. Springer-Verlag. New York, 1982.
312. Saitoh Y, Oku Y, Yzumoto S, Go J. Rapid growth of a meningioma during pregnancy: Relationship with estrogen and progesterone receptors-case report (English abstract). *Neurol Med Chir (Tokyo)* 1989; 29:440-443.
313. Salmon I, Kiss R, Dewitte O, Gras T, Pasteels J, Brotchi J, Flament-Durant J. Histopathologic grading and DNA ploidy in relation to survival among 206 adults astrocytic tumor patients. *Cancer* 1992; 70:538-546.
314. Salmon I, Kiss R, Levivier M, Remmelink M, Pasteels JL, Brotchi J, Flament-Durand J. Characterization of nuclear DNA content, proliferation index, and nuclear size in a series of 181 meningiomas, including benign primary, recurrent, and malignant tumors. *Am J Surg Pathol* 1993; 17:239-247.

315. Sasaki K, Ogino T, Takahashi M. Immunological determination of labeling index on human tumor tissue sections using monoclonal anti-BrdUrd antibody. *Stain Technol* 1986; 61:155-161.
316. Sasaki K, Matsamura K, Tatsuo T, Shinozaki F, Takahashi M. Relationship between labelling indices of Ki-67 and BrdUrd in human malignant tumors. *Cancer* 1988; 62:989-993.
317. Satyaswaroop PG, Zaino RJ, Mortel R. Estrogen-like effects of tamoxifen on human endometrial carcinoma transplanted into nude mice. *Cancer Res* 1984; 44:4006-4010.
318. Schachenmayr W, Friede RL. The origin of subdural neomembranes. I. Fine structure of the dura-arachnoid interface in man. *Am J Pathol* 1978;92:53-68.
319. Scheithauer BW. Tumors of the meninges: proposed modifications of the World Health Organization. *Acta Neuropathol* 1990; 80:343-354.
320. Schiffer J, Avidan D, Rapp A. Posttraumatic meningioma. *Neurosurgery* 1985; 17:84-87.
321. Schnegg JF, Gómez F, LeMarchand-Beraud T, Tibolet N. Presence of sex steroid hormone receptors in meningioma tissue. *Surg Neurol* 1981; 15:415-418.
322. Schoenberg BS, Christine BW, Whishnant JP. Nervous system neoplasms and primary malignancy of other sites. The

323. Schrape S, Jones DB, Wright DH. A comparison of three methods for the determination of the growth fraction in non-Hodgkins lymphoma. *Br J Cancer* 1987; 55:283-286. unique association between meningiomas and breast cancer. *Neurology* 1975; 25:705-712.
324. Schrell UMH, Adams EF, Fahlbusch R, Greb R, Jirikowoski G, Prior R, Ramalho-Ortiga F, Hormonal dependence of cerebral meningiomas. Part 1: Female sex steroid receptors and their significance as specific markers for adjuvant medical therapy. *J Neurosurg* 1990; 73:743-749.
325. Schroder R, Firsching R, Kochanek S. *Zentralbl Neurochir* 1986; 47:191-199. *Neurosurgery* 1992; 30:494-498.
326. Schwartz MR, Randolph RL, Cech DA, Rose J, Panko W. Steroid hormone binding macromolecules in meningiomas. Failure to meet criteria of specific receptors. *Cancer* 1984; 53:922-927.
327. Seizinger BR, de la Monte S, Atkins L, Gusella JF, Martuza RL. Molecular genetics approach to human meningioma: loss of genes on chromosome 22. *Proc Natl Acad Sci USA* 1987-a; 84:5419-5423.
328. Seizinger BR, Rouleau G, Ozelius LJ, Lane AH, St George-Hyslop P, Huson S, Gusella JF, Martuza RL. Common pathogenetic mechanism for three tumors types in bilateral acoustic neurofibromatosis. *Science* 1987-b; 236:317-319.

329. Shepherd NA, Richman PI, England J. Ki-67 derived proliferative index in colorectal adenocarcinoma with prognostic correlations. *J Pathol* 1988; 155:213-219.
330. Shibata T, Burger P, Kleihues P. Cell kinetics of human meningiomas and neurinomas: Ki-67 PAP stain. *Neurol Surg* 1988; 16:939-944.
331. Shibuya M, Hoshino T, Ito S, Wacker MR, Prados MD, Davis RL, Wilson CB. Meningiomas: clinical implications of a high proliferative potential determined by bromodeoxyuridine labeling.
332. Simpson D. Recurrence of intracranial meningiomas after surgical treatment. *J Neurol Neurosurg Psychiatry* 1957; 20:22-39.
333. Skullerud K, Löken AC. The prognosis in meningiomas. *Acta Neuropath (Berl.)* 1974;29:337-344.
334. Sloof JL, Kernohan JW, Mac Carty CS. Primary intramedullary tumors of the spinal cord and filum terminale. Philadelphia/London: WB Saunders, 1964, pp 165-6.
335. Smith R, Crocker J. Evaluation of nucleolar organizer region associated proteins in breast malignancy. *Histopathology* 1988; 12:113-125.
336. Soffer D, Pittaluga S, Feiner M, Beller AJ. Intracranial meningiomas following low dose irradiation to the head. *J Neurosurg* 1983; 59:1048-1053.

337. Solero CL, Fornari M, Giombini S, Lasio G, Oliveri G, Cimino C, Pluchino F. Spinal meningiomas: Review of 174 operated cases. *Neurosurgery* 1989; 25:153-160.
338. Spaar FW, Ahyai A, Blech M. DNA-fluorescence-cytometry and prognosis (grading) of meningiomas. A study of 104 surgically removed tumors. *Neurosurg Rev* 1987; 10:35-39.
339. Sridhar K, Ramamurthi B. Intracranial meningioma subsequent to radiation for a pituitary tumor: case report. *Neurosurgery* 1989, 25:643-645.
340. Statistical Package for Social Sciences. SPSS Inc. Chicago. USA.1
341. Stout AP, Murray MR. Hemangiopericytoma. A vascular tumor featuring Zimmerman's pericytes. *Ann Surg* 1942; 116:26-33.
342. Svien HJ, Wood MW. Recurrence of a meningioma of the spinal cord after 23 years. *Proc Mayo Clin* 1957;32:573-578.
343. Takase M, Takei Y. On the true nature of so-called "angioblastic-meningiomas". Histopathological re-evaluation. *Neurol Med Chir (Tokyo)* 1982; 22:901-909.
344. Tavares AS, Costa J, de Carvalho A, et al. Tumor ploidy and prognosis in carcinomas of the bladder and prostate. *Br J Cancer* 1966; 20:438-44.

345. Taylor HB, Norris HJ. Mesenchymal tumors of the uterus. IV. Diagnosis and prognosis of leiomyosarcomas. *Arch Pathol* 1966; 82:40-44.
346. Taylor IW, Milthorpe BK. An evaluation of DNA fluorochromes, staining techniques, and analysis for flow cytometry. I. Unperturbed cell populations. *J Histochem Cytochem* 1980; 28:1224-1232.
347. Taylor CM, Blanchard B, Zava DT. Estrogen receptor-mediated and cytotoxic effects of the antiestrogens tamoxifen and 4-hydroxytamoxifen. *Cancer* 1984; 44:1409-1414.
348. Thomas HG, Dolman CL, Berry K. Malignant meningioma: clinical and pathological features. *J Neurosurg* 1981; 55:929-934.
349. Tönnis W. Die Meningome. *Acta Neurochir* 1965; 13:308-310.
350. Tribukait B, Esposti PL. Quantitative flow-microfluorometric analysis of the DNA in cells from neoplasm of the urinary bladder: correlation of aneuploidy with histological grading and cytological findings. *Urol Res* 1978; 6:201-205.
351. Tsunoda S, Takeshima T, Toshisuke S, Morimoto T, Hoshida T, Watabe Y, Goda K. Secretory meningioma with elevated serum carcinoembryonic antigen level. *Surg Neurol* 1992; 37:415-418.
352. Tubiana M, Richard JM, Malaise E. Kinetics of tumor growth and of cell proliferation in U.R.D.T. cancers: therapeutic implications. *Laryngoscope* 1975; 85:1039-1052.

353. Turner OA, Laird AT. Meningioma with traumatic etiology: report of a case. *J Neurosurg* 1966; 24:96-98.
354. Tytus JS, Lasersohn JT, Reifel E. The problem of malignancy in meningiomas. *J Neurosurg* 1967;27: 551-557.
355. Underwood JCE, Giri DD. Nucleolar organizer regions as diagnostic discriminants for malignancy (Editorial). *J Pathol* 1988;155:95-96.
356. Vagner-Capodano AM, Grisoli F, Gambarelli D, Sedan R, Pellet W, De Victor B. Correlation between cytogenetic and histopathological findings in 75 human meningiomas. *Neurosurgery*,1993; 32:892-900.
357. Vakili ST, Muller J. Intracytoplasmic lumina in meningioma: an ultrastructural and immunohistological study. *Neurosurgery* 1988; 23:180-184.
358. Van Dilla MA, Trujillo TT, Mullaney PF, Coulter JR. Cell microfluorometry: a method for rapid fluorescence measurement. *Science* 1969;163:1213-1214.
359. Vaquero J, Marios ML, Martínez R, Bravo G. Estrogen- and progesterone- receptor proteins in intracranial tumors. *Surg Neurol* 1983; 19:11-13.
360. Vassilouthis J, Ambrose J. Computerized tomography scanning appearances of intracranial meningiomas: An attempt to predict the histological features. *J Neurosurg* 1979; 50:320-327.

361. Vavruch L, Eneström S, Carstensen J, Nordenskjöld B, Wingren S. DNA index and S phase in primary brain tumors. A comparison between fresh and deparaffinized specimens studied by flow cytometry. *J Neurosurg* 1994; 80:85-89.
362. Vindelov LL, Christensen IJ, Keiding N, Spang-Thomsen M, Nissen NI. Long-term storage of samples for flow cytometric DNA analysis. *Cytometry* 1983; 3:317-322.
363. Waelti ER, Markwalder TM. Endocrine manipulation of meningiomas with medroxyprogesterone acetate. Effect of MPA on growth of primary meningioma cells in monolayer tissue culture. *Surg Neurol* 1989; 31:96-100.
364. Walker RA, Camplejohn RS. Comparison of monoclonal antibody Ki 67 reactivity with grade and DNA flow cytometry of breast carcinomas. *Br J Cancer* 1988; 57:281-283.
365. Weiss AF, Portmann R, Fischer H, Simon J, Zang KD. Simian virus 40-related antigens in three human meningiomas with defined chromosome loss. *Proc Natl Acad Sci USA* 1975; 72:609-613.
366. Weyland RD, MacCarty CS, Wilson RB. The effect of pregnancy on intracranial meningiomas occurring about the optic chiasm. *DSurg Clin N Amer* 1951; 31:1225-1233.
367. Whatmore WJ, Hitchcock ER. Meningioma following trauma. *Br J Surg* 1973; 60:496-498.

368. Whittle IR, Hawkins RA, Miller JD. Sex hormone receptors in intracranial tumors and normal brain. *Eur J Surg Oncol* 1987; 13:303-307.
369. Wilson CB. Meningiomas: genetics, malignancy, and the role of radiation in induction and treatment. The Richard C Schneider lecture. *J Neurosurg* 1994; 81:666-675.
370. Williams MA, Kleinschmidt JA, Krohne G, Franke WW. Argyrophilic nuclear and nucleolar proteins of *Xenopus laevis* oocytes identified by gel electrophoresis. *Exp Cell Res* 1982; 137:341-351.
371. Winek RR, Scheithauer BW, Wick MR. Meningioma, meningeal hemangiopericytoma(angioblastic meningioma), peripheral hemangiopericytoma, and acoustic schwannoma. A comparative immunohistochemical study. *Am J Surg Pathol* 1989; 13:251-261.
372. Wolman L. Role of the arachnoid granulation in the development of meningioma. *Arch Pathol* 1952; 53:70-77.
373. Wood GW, Morantz RA. Immunohistological evaluation of the lymphoreticular infiltrated in human CNS tumours. *JNCI* 1979; 62:485-490.
374. Wullich B, Mayfrank L, Schwechheimer K, Finke J, Schempp W. Chromosome abnormalities in multiple meningiomas of a child. *Genes Chromosom Cancer* 1990; 2:166-168.

375. Yamashita J, Handa H, Iwaki K, Abe M. Recurrence of intracranial meningiomas with special reference to radiotherapy. *Surg Neurol* 1980; 14:33-40.
376. Yasue M, Tomita T, Engelhard H, González-Crussi F, McLone DG, Bauer KD. Prognostic importance of DNA ploidy in medulloblastoma of childhood. *J Neurosurg* 1989; 70:385-391.
377. Younis GA, Sawaya R, DeMonte F, Hess KR, Albrecht S, Bruner JM. Aggressive meningeal tumors: review of a series. *J Neurosurg* 1995; 82:17-27.
378. Zang KD, May G, Fischer H. Expression of SV40-related T-antigen in cell cultures of human meningiomas. *Naturwissenschaften* 1979; 66:59.
379. Zang KD. Cytological and cytogenetical studies on human meningioma. *Cancer Genet Cytogenet* 1982; 6:249-274.
380. Zankl H, Zang KD. Cytological and cytogenetical studies on brain tumors. 4. Identification of the missing G chromosome in human meningiomas as no. 22 by fluorescence technique. *Humangenetik* 1972; 14:167-169.
381. Zankl H, Zang KD. Correlations between clinical and cytogenetical data in 180 human meningiomas. *Cancer Genet Cytogenet* 1980; 1:351-356.

382. Zava DT, Markwalder TM, Markwalder RV. Biological expression of steroid hormone receptors in primary meningioma cells in monolayer culture. *Clin Neuropharmacol* 1984; 7:382-388.
383. Zetterberg A, Esposti PL. Prognostic significance of nuclear DNA levels in prostatic carcinoma. *Scand J Urol Nephrol Suppl* 1980; 55:53-58.
384. Zimmer C, Gottschalk J, Cervós Navarro J, martin H, Beil M, Jautzke G. Proliferating cell nuclear antigen (PCNA) in atypical and malignant meningiomas. *Pathol Res Pract* 1992; 188:951-958.
385. Zuber P, Hamou MF, Tribolet N. Identification of proliferating cells in human gliomas using the monoclonal antibody Ki-67. *Neurosurgery* 1988;22:364-368.
386. Zülch KJ, Mennel HD. The question of malignancy in meningiomas. *Acta Neurochir* 1975; 31:275-276 (Abstract).
387. Zülch KJ, ed. International histological classification of tumors, n°. 21. Histological typing of tumors of the central nervous system. Geneva: WHO, 1979:25.
388. Zülch KJ. Brain tumors: their biology and pathology. New York, Springer-Verlag, 1986, ed 3 pp 380-383.